HILTON GARDEN INN Bloom Scheme



Bloom Scheme OVERVIEW (v 1.2)



- Product Type: Elevator Lobby
- Style Number: HG06B (15' option: HG01B/101)
- · Color Number: 101
- Item Number: C-12
- Specs: 36 oz. 12' Width
- Pattern Repeat: 72" x 90.29"




- Product Type: Corridor
- Style Number: HG07B (15' option: HG02B/202)
- · Color Number: 202
- Item Number: C-11
- Specs: 36 oz. 12' Width
- Pattern Repeat: 72" x 72"



- Product Type: Guest Room
- Style Number: HG10B (12' W option: HG05B/505)
- · Color Number: 505
- · Item Number: C-01
- Specs: 32 oz. 13' Width
- Pattern Repeat: 4'4" x 4'



- Product Type: Meeting Room
- Style Number: HG08B (15' option: HG03B/303)
- Color Number: 303
- Item Number: C-13
- Specs: 36 oz. 12' Width
- Pattern Repeat: 48" x 43.43"



- · Product Type: Lobby
- Style Number: HG09B (15' option: HG04B/404)
- · Color Number: 404
- Item Number: C-10
- Specs: 36 oz. 12' Width
- Pattern Repeat: 48" x 40"



- Product Type: Back of House
- Style Number: HG15B (15' available upon request)
- · Color Number: 150
- · Item Number: C-14
- Specs: 32 oz. 12' Width
- Pattern Repeat: 36" x 59"



- Product Type: Millwork Profile Wall Base
- Style Number: Monument MW-121-S4
- · Item Number: B-01
- · Color/Finish: 121 Cement
- Specs: 4.0" x .250"
- · Area: Guest Rooms



- Product Type: Millwork Profile Wall Base
- Style Number: Monument MW-29-S4
- Item Number: B-06
- · Color/Finish: 29 Moon Rock
- · Specs: 4.0" x .250"
- Area: Public Space, Fitness Center



ELEVATOR LOBBY, BROADLOOM

Issue Date: October 2019
Area Name: Elevator Lobby
Item Number: C-12 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Elevator Lobby - Broadloom (Tufted)

Style Number: HG06B Color: 101

Width: 12' (15' option: HG01B/101 available upon request)

Repeat: 72"W x 90.29"L

Type: Intrepid multi-level loop tip-shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10" Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1







8501



5508



5510


Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.





CORRIDOR, BROADLOOM

Issue Date: October 2019
Area Name: Corridor
Item Number: C-11 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Corridor - Broadloom (Tufted)

Style/Number: HG07B Color: 202

Width: 12' (15' option: HG02B/202 available upon request)

Repeat: 72"W x 72"L

Type: Intrepid multi-level loop tip-shear Lextron Enviro-

Content: Green SD Nylon

Weight: 36 oz. tufted face weight

Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10" Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1







8501





5510

5508


Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.





Bloom Corridor



Bloom Scheme GUEST ROOM, BROADLOOM

C-01 Supplier C



GUEST ROOM, BROADLOOM

Issue Date:October 2019Area Name:Guest RoomsItem Number:C-01 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Guest Rooms - Broadloom

Style Number: HG10B Color: 505

Width: 13' (12' W option: HG05B/505)

Repeat: 4'4"W x 4'L

Type: Dynamics servo scroll loop tip-shear Content: Lextron Enviro-Green SD Nylon

Weight: 32 oz. Dynamics
Primary Backing: Woven Polypropylene
Secondary Backing: Unitary Action Bac


Pile Height: .281" average pile thickness

Gauge: 1/10"
Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1






Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.


Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.





Bloom Guest Room



MEETING ROOM, BROADLOOM

Issue Date: October 2019
Area Name: Meeting Room
Item Number: C-13 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Meeting Room - Broadloom (Tufted)

Style Number: HG08B Color: 303

Width: 12' (15' option: HG03B/303 available upon request)

Repeat: 48"W x 43.43"L

Type: Intrepid multi-level loop tip-shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10" Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1






Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.





LOBBY, BROADLOOM

Issue Date: October 2019
Area Name: Lobby

Item Number: C-10 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Lobby - Broadloom (Tufted)

Style Number: HG09B Color: 404

Width: 12' (15' option: HG04B/404 available upon request)

Repeat: 48"W x 40"L

Type: Intrepid mulit-level loop tip-shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene


Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10" Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1





Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.



BACK OF HOUSE, BROADLOOM

C-14 Supplier C



BACK OF HOUSE, BROADLOOM

Issue Date: October 2019
Area Name: Back of House
Item Number: C-14 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Back of House - Broadloom Tufted)

Style Number: HG15B Color: 150

Width: 12' (15' Option available upon request

Repeat: 36"W x 59"L

Type: DYN Loop Tip-Sheared

Content: Lextron Enviro-Green SD Nylon
Weight: 32 oz. tufted face weight
Primary Backing: Woven Polypropylene


Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10" Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1



Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.





GUEST ROOMS, WALL BASE

Issue Date: October 2019
Area Name: Guest Rooms

Item Number: B-01

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: Jackie.Passaro@tarkett.com

Web: www.tarkettna.com

Description: Millwork Profile Wall Base
Product: Monument MW-121-S4

Item Number: B-01

Color/Finish: 121 Cement Size/Dimension: 4"H x .250"D

Material: Proprietary thermoplastic rubber formulation

by manufacturer

Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

Instructions:

- · Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- · Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.



Monument 4" MW-XX-S4



121 Cement CB



PUBLIC AREAS, WALL BASE

Issue Date: October 2019

Area Name: Public Areas- Fitness Center

Item Number: B-06

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: Jackie.Passaro@tarkett.com

Web: www.tarkettna.com

Description: Millwork Profile Wall Base
Product: Monument MW-29-S4

Item Number: B-06

Color/Finish: 29 Moon Rock Size/Dimension: 4"H x .250"D

Material: Proprietary thermoplastic rubber formulation

by manufacturer

Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

Instructions:

- · Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- · Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.



Monument 4" MW-XX-S4



29 Moon Rock WG

