



Signature Inn



©Tarkett Hospitality

Sonesta - Signature Inn
Lobby 'Turf' Carpet (LOB)
CP-03

Product Information

Style / Color Number	609556010 - Color Glee 24722
Product Type	Powerbond Hybrid Carpet
Construction	Tufted Pattern Loop
Fiber	Dynex SD Nylon
Dye Method	100 % Solution Dyed Woven
Primary Backing	Synthetic Non-Woven
Secondary Backing	Heterogeneous Construction - Closed Cell Cushion

Specifications


Size	6'W x 105'L Roll
Gauge	1/10
Stitches per Inch	10
Tufted Weight	27 oz per sq/yd
Finished Pile Thickness	.130 inches average
Pattern Repeat	N/A
Total Overall Thickness	.340 inches average
Installation Method	Direct Glue

Performance

Traffic Class	Severe
(TARR) Pill Test	Pass
Radiant Panel	Class I
Flammability	ASTM D-2859 Passes CPSC FF 1-70
Smoke Density	ASTM E 662 Less than 450
LEED Info	Green Label Plus Certified – GLP2380
Warranty	Limited Lifetime Warranty

Installation

Tarkett requires certified Powerbond installers to install Powerbond Cushion products on commercial or residential jobsites. Contact your local Tarkett Account Executive for more information on installer certification.



Dynex SD® with Eco-Ensure™

Dynex SD is a premium cationic nylon, meaning it's negatively charged to provide permanent resistance against most staining agents. For even greater protection, Dynex SD is treated with Eco-Ensure, a chemistry with a C2C Certified Material Health Certificate™ at the Platinum level that resists soiling from oils and organic materials.

This fluorine-free soil protection technology lowers the cost of maintenance and creates healthier spaces by promoting better indoor air quality with low-VOC emissions. The fiber within the product has been optimized to produce maximized appearance retention, cleanability, and coverage.

Across its carpet manufacturing sites in North America, Tarkett has begun using low-carbon nylon with a 100% recycled content resin for the Dynex® SD fibers of its commercial carpet products and Lextron™ SD fibers of its hospitality carpet. This solution will lead to an increase of over 8,000 tons per year in recycled raw materials and a reduction in greenhouse gas (GHG) emissions of over 30,000 tons CO2e per year.

Sonesta - Signature Inn

Interior Guest Corridor Carpet (COR)

CP-06

Product Information

Style / Color Number	SS10B / 638
Product Type	Broadloom
Construction	Multi-Level Pattern Cut/Loop
Fiber	Lextron Enviro-Green Nylon
Dye Method	100 % Solution Dyed Woven
Primary Backing	Polypropylene
Secondary Backing	Unitary

Specifications


Size	12'
Gauge	1/10
Stitches per Inch	6
Tufted Weight	36oz per sq/yd
Finished Pile Thickness	.247 inches average
Pattern Repeat	144" x 138.67"
Total Overall Thickness	.352 inches average

Performance

Traffic Class (TARR)	Heavy
Pill Test	Pass
Radiant Panel	Class I
Flammability	ASTM E 648 Class I
Smoke Density	ASTM E 662 Less than 450
LEED Info	Green Label Plus Certified – GLP2380

Warranty	10 Year Limited Warranty
-----------------	---------------------------------

1 repeat shown- not to scale



Tarkett Hospitality has begun using low-carbon nylon with a 100% recycled content resin for the Lextron™ SD fibers of its hospitality carpet products. This solution will lead to an increase of over 8,000 tons per year in recycled raw materials and a reduction in greenhouse gas (GHG) emissions of over 30,000 tons CO2e per year.

Recommended for heavy (public space) carpet levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction.

IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.

All Specifications are subject to manufacturing tolerance.

Sonesta - Signature Inn
Guestroom Carpet (KB/QB)
CP-07

Product Information

Style / Color Number	SS116/50C
Product Type	Broadloom
Construction	Multi-Level Pattern Cut/Loop
Fiber	Lextron Enviro-Green Nylon
Dye Method	100 % Solution Dyed
Primary Backing	Woven Polypropylene
Secondary Backing	Action Bac

Specifications


Size	12'
Gauge	1/10
Stitches per Inch	9
Tufted Weight	32oz per sq/yd
Finished Pile Thickness	.247 inches average
Pattern Repeat	18" x 18"
Total Overall Thickness	.352 inches average

Performance

Traffic Class (TARR)	Heavy
Pill Test	Pass
Radiant Panel	Class I
Flammability	ASTM E 648 Class I
Smoke Density	ASTM E 662 Less than 450
LEED Info	Green Label Plus Certified – GLP2380

Warranty	10 Year Limited Warranty
-----------------	---------------------------------

1 repeat shown- not to scale



Tarkett Hospitality has begun using low-carbon nylon with a 100% recycled content resin for the Lextron™ SD fibers of its hospitality carpet products. This solution will lead to an increase of over 8,000 tons per year in recycled raw materials and a reduction in greenhouse gas (GHG) emissions of over 30,000 tons CO2e per year.

Recommended for heavy (public space) carpet levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction.

IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
 All Specifications are subject to manufacturing tolerance.

Sonesta - Signature Inn Prototype
Resilient Flooring
VT-01/02

Product Information


VT-01 - Guestroom LVT (KB/QB)

Style Number	ACCRE-0008-7X48-VT
Color	Ashwood Oak 0008
Product Type	LVT/ERT - Enhanced Resilient Tile
Size	7" W x 48" L
Carton Size	23.64 sq ft per carton
Installation Pattern:	Stagger
Installation Method:	Floating, see installation documents for use in wet areas.

Product Information

VT-02 - Elevator Lobby LVT

Style Number	ACCRE-0008-7X48-VT
Color	Ashwood Oak 0008
Product Type	LVT/ERT - Enhanced Resilient Tile
Size	7" W x 48" L
Carton Size	23.64 sq ft per carton
Installation Pattern:	Stagger
Installation Method:	Glue Down, see installation documents for more information.



INSTALL: STAGGER

Sonesta - Signature Inn Prototype
Resilient Wall Base
WB-01/02

Product Information

WB-01 - Guestroom Wall Base (KB/QB)

Style Number **MW-28-F**
 Color **28 Medium Grey**
 Product Type **Reveal Millwork Wall Base**
 Size **4"-1/4"H x .250" Thick x 8 ft. Lengths**
 Carton Size **64 ft per carton**
 Installation: **Direct Glue**



Reveal®
MW-XX-F



28 Medium Grey CG *


Product Information

WB-02 - Corridor Wall Base (COR)

Style Number **MW-24-F**
 Color **24 Grey Haze**
 Product Type **Reveal Millwork Wall Base**
 Size **4"-1/4"H x .250" Thick x 8 ft. Lengths**
 Carton Size **64 ft per carton**
 Installation: **Direct Glue**



Reveal®
MW-XX-F



24 Grey Haze WG *

Every Step Matters™



When you're trailblazing a more sustainable future, every step matters. At Tarkett®, our holistic approach to sustainability is woven into the fabric of how we do business and sits at the heart of our day-to-day decision making. This approach is based on three key pillars of action:

Circular economy

In partnership with you, we're committed to creating a circular economy where nothing goes to waste. Through Tarkett's ReStart® take-back and recycling program, we're doing everything we can to ensure your old flooring is kept out of a landfill and given new life. In 2025, Tarkett North America recycled 1.9 million pounds of old flooring through ReStart.

Healthy impacts

Responsible flooring design doesn't just improve environmental health and wellness; it directly contributes to the overall wellness of our interior spaces and the people who use them. Tarkett's material choices across our entire portfolio are supporting good indoor air quality and better outcomes for all. Tarkett is proud to offer LVT, resilient sheet, carpet tile and hybrid carpet collections that are scientifically proven to reduce exposure to asthma and allergy triggers and Certified **Asthma & Allergy Friendly®** by Allergy Standards Ltd.

Transparency you can trust

Corporate and product transparency are fundamental to our values and the way we do business. Third-party assessments and verifications ensure that our partners and customers have access to detailed information about the materials and processes behind our products, as well as our corporate practices. Based on these global accomplishments, Tarkett is not just a sustainability leader among flooring manufacturers; we're setting the bar for global manufacturing practices across industries.



EcoVadis

In 2025, Tarkett earned a Platinum Sustainability medal from EcoVadis with a score of 86 out of 100. This places us in the top 1% of more than 130,000 companies assessed by EcoVadis across 180 countries. This annual, exhaustive audit provides a single score that accounts for Labor and Human Rights, Ethics, Sustainable Procurement, and the Environment.



Carbon Disclosure Project

Tarkett's A score for climate change impact positions us at the leadership level of CDP's grading system. This score indicates that we've done an excellent job of understanding, measuring, and reporting our climate impacts.



Science Based Targets initiative

Tarkett's 2030 carbon reduction targets are approved by SBTi, meaning the organization has verified that our action plan is feasible and in line with the Paris Climate Agreement. We have two 2030 targets that guide almost every sustainability initiative at Tarkett:

1. Reduce carbon emissions by 30% across Scopes 1, 2, and 3.
2. Increase recycled content in our products from 18% to 30%.



Start your next project with ReStart®

We're committed to creating a circular economy where nothing goes to waste. Take part by starting your next project with Tarkett's ReStart® flooring take-back and recycling program. The ReStart program will accept any type of flooring from any manufacturer. Join us as we innovate and collaborate towards a healthier future for this generation and generations to come.

Contact Us

Customer Service

800-871-3211

Tarkett Hospitality

285 Kraft Drive

Dalton, GA 30721

800.871.3211

www.tarketthospitality.com

© 2026 Tarkett Hospitality