

### **WYNDHAM** AMERICINN OVERVIEW





Manufacturer: Address:

Phone: Contact:

Web:

Tarkett 285 Kraft Drive Dalton, GA 30721 706.277.3000 Jackie Passaro Jackie.Passaro@tarkett.com www.tarketthospitality.com

#### Choose Tarkett

- + Approved Styles
- + Lowest Pricing
- + Fast Delivery
- + 10-Year Warranty
- + Broadloom Carpet
- + Lextron Solution-Dyed Nylon




• Product Type: Lobby Style Number: AI102

• Product Type: Lobby

- Color Number: 210
- Specs: 36 oz. 12' Width
- Pattern Repeat: 48" x 67"









• Pattern Repeat: 72" x 100.80"

Style Number: G0041 Savant

• Specs: 19 oz. – 9" x 36" tile

Color Number: 76203 Sovereign

• Product Type: Public Space Cove Base

Product Type: Lobby, Breakfast

Color Number: 55 Silver Grey

Style Number: Duracove

Room Wall Base

Traditional

- Style Number: 728S
- Color Number: 8518
- Specs: 4" or 6"

• Specs: 4" H

- Product Type: Guest Room
- Style Number: Al201
- Color Number: 510
- Specs: 32 oz. 12' Width
- Pattern Repeat: 8" x 20"
- Product Type: Guest Rooms
- Style Number: 03973 Street Life
- Color Number: 36102 Open Air
- Specs: 12 oz. 24" x 24" tile
- Pattern Repeat: No
- Product Type: Guest Rooms Cove Base
- Style Number: 728S
- Color Number: 3510
- Specs: 4" or 6"
- Product Type: Guest Rooms Wall Base
- Style Number: Duracove Traditional
- Color Number: 469 Mistify
- Specs: 4" H



### **WYNDHAM** AMERICINN OVERVIEW





Manufacturer: Address:

Phone: Contact:

Web:

Dalton, GA 30721 706.277.3000 Jackie Passaro Jackie.Passaro@tarkett.com www.tarketthospitality.com

Tarkett

285 Kraft Drive

Choose Tarkett

- + Approved Styles
- + Lowest Pricing
- + Fast Delivery
- + 10-Year Warranty
- + Broadloom Carpet

Product Type: Back of House

• Specs: 32 oz. - 12' Width

Pattern Repeat: 24" x 38"

Style Number: Al202

Color Number: 110

+ Lextron Solution-Dyed Nylon









 Color Number: 410 • Specs: 36 oz. - 12' Width

Product Type: Corridor

Style Number: Al101

- Pattern Repeat:72" x 144"
- Product Type: Corridor
- Style Number: AI104
- Color Number: 410
- Specs: 36 oz. 15' Width
- Pattern Repeat:90" x 144"
- Style Number: 04468 Element
- Color Number: 76004 Shadow Lines
- Specs: 16 oz. 18" x 36" tile
- Product Type: Corridor, Meeting Room, Breakfast Room
- Style Number: Duracove Traditional
- Color Number: TA9 Indigo
- Specs: 4" H







- Style Number: 11442 Saveur
- Color Number: 76203 Sovereign
- Specs: 12 oz. 18" x 36" tile
- Pattern Repeat: 72" x 99.17"



- Product Type: Meeting Room Style Number: Al103
- Color Number: 310
- Specs: 36 oz. 12' Width
- Pattern Repeat: 48" x 84"
- Product Type: Meeting Room
- Style Number: 11072 Marled Tweed
- Color Number: 27312 Indigo Tweed
- Specs: 22 oz. 24" x 24" tile
- Pattern Repeat: No



- Product Type: Guest Laundry & Laundry Room
- Style: Tarkett VCT
- Color Number: 1824 Sandcastle
- Specs: 0.125" Thick 12" x 12" tile



- Product Type: Corridor

- Pattern Repeat: no

### WYNDHAM AMERICINN LOBBY





Manufacturer:	Tarkett
Address:	285 Kraft Drive
	Dalton, GA 30721
Phone:	706.277.3000
Contact:	Jackie Passaro Jackie.Passaro@tarkett.com
Web:	www.tarketthospitality.com

Style Name	Al102 AmericInn
Project Type:	Lobby
Color:	210
Machine Type:	Dynamics
Pattern Repeat:	48" x 67"
Radiant Panel:	Class 1
Smoke Density:	Less Than 450
Warranty:	10 Year Wear Guarantee
Recycled Content:	Lextron Essentials has 10% pre-consumer recycled content.
Environmental	
Information:	CRI Green Label Plus™ Certified
Construction:	D Dynamics-Servo Loop Scroll Tip Shear
Gauge:	1/10th
Tufted Pile Weight:	36 oz.
Finished Pile Weight:	72 oz.
Finished Pile Height:	High .25, Med .1875, Low .0625

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

• Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.

• All Specifications subject to normal manufacturing tolerance.



## **O**Tarkett Hospitality









• Specs: 36 oz. – 12' Width

### WYNDHAM AMERICINN LOBBY






Manufacturer:TarkettAddress:285 Kraft Drive<br/>Dalton, GA 30721Phone:706.277.3000Contact:Jackie Passaro<br/>Jackie.Passaro@tarkett.comWeb:www.tarketthospitality.com

	Standard	Tarke
Style:	-	Sava
Color:	-	Sove
Size:	-	9″ x 3
Product type:	-	Lobb
Construction:	-	Tufte
Pile construction:	-	Patte
Gauge:	-	1/10
Stitches/Rows per Inch:	-	10 /ir
Pile thickness:	ASTM D5848	0.075
Average pile height:	-	0.23
Fiber system:	-	Dyne
Dye method:	-	Solut
Secondary backing:	-	ethos Omn
Primary backing:	-	Synth
Installation method:	-	Glue-
Pattern repeat length:	-	100.8
Pattern repeat width:	-	72 "
Soil protection:	-	Appli of Fa
Stain resistance:	AATCC 175-08	≥8
Flammability:	ASTM E648	Class
Smoke density:	ASTM E662	450 d
Surface flammablity:	-	Meet DOC
Electrostatic propensity:	-	≤ 3.0
Commercial warranty:	-	Lifeti

#### Tarkett Value

ant G0041 ereign 76203 36" tile by ed Patterned Symtex erned Tipshear )" in 75 " (1.91 mm) 35 " (6 mm) ex SD® Nylon ution Dyed os® Modular with nicoat Technology™ thetic Non-Woven e-Down .80 " lication Rate: 2% ace Weight ss 1 (≥ 0.45 W/cm<sup>2</sup>) or Less ets CAN/CGSB-4.2 No.27.6/ FF 1-70 0 kV time Limited













Product Type: LobbyStyle Number: G0041 Savant

Color Number: 76203 Sovereign

• Specs: 19 oz. - 9" x 36" tile



### WYNDHAM AMERICINN GUEST ROOM





Manufacturer:	Tarkett
Address:	285 Kraft Drive
	Dalton, GA 30721
Phone:	706.277.3000
Contact:	Jackie Passaro
	Jackie.Passaro@tarkett.com
Web:	www.tarketthospitality.com

Style Name:	Al201 AmericInn
Color:	510
Project Type:	Guest Room
Machine Type:	Element
Pattern Repeat:	8" x 24"
Radiant Panel:	Class 1
Smoke Density:	Less Than 450
Warranty:	10 Year Wear Guarantee
Recycled Content:	Lextron Essentials has 10% pre-consumer recycled content.
Static Control:	Below 3.5 KV
Environmental	
Information:	CRI Green Label Plus™ Certified
Construction:	E Element-Enhanced Loop Tip Shear
Gauge:	1/10th
Tufted Pile Weight:	32 oz.
Finished Pile Weight:	68 oz.
Finished Pile Height:	High .25, Med .1875, Low .0625

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

• Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.

· All Specifications subject to normal manufacturing tolerance.













• Product Type: Guest Room • Style Number: Al201 • Color Number: 510 • Specs: 32 oz. – 12' Width

# **O**Tarkett Hospitality

### WYNDHAM AMERICINN GUEST ROOM






Manufacturer: Address:

Phone: Contact:

Contac Web: Tarkett 285 Kraft Drive Dalton, GA 30721 706.277.3000 Jackie Passaro Jackie.Passaro@tarkett.com www.tarketthospitality.com

	Standard	Tarkett Value
Pattern:	-	Street Life 03973
Color:	-	Open Air 36102
Size:	-	24" X 24" tile
Product Type:	-	Guest Rooms
Total thickness:	ASTM F386	0.280 " (7.06 mm)
Flammability:	ASTM E648	Class 1 (≥ 0.45 W/cm²)
Smoke density:	ASTM E662	450 or Less
Commercial warranty:	-	Lifetime Limited
Installation method:	-	Glue-Down
Surface treatment:	ASTM F410	Eco-Ensure (Fluorine-Free Soil Protection)
Construction:	-	Stratatec <sup>®</sup> Patterned Loop
Pile construction:	-	Patterned loop pile
Gauge:	-	5/64"
Stitches/Rows per Inch:	-	10 /in
Pile thickness:	ASTM D5848	0.070 " (1.83 mm)
Average pile height:	-	0.185 " (5 mm)
Fiber system:	-	Dynex SD® Nylon (Stain resist)
Dye method:	-	Solution Dyed
Secondary backing:	-	ethos® Modular with Omnicoat Technology™
Primary backing:	-	Synthetic Non-Woven
Soil protection:	-	Application Rate: 2% of Face Stain
Resistance:	AATCC 175-08	≥8
Surface flammablity:	-	Meets CAN/CGSB-4.2 No.27.6/ DOC FF 1-70
Electrostatic propensity:	-	≤ 3.0 kV
Length:	-	24 " (610 mm)
Width"	-	24 " (610 mm)
Face weight:	-	12 oz/yd²













• Product Type: Guest Rooms • Style Number: 03973 Street Life • Color Number: 36102 Open Air

• Specs: 12 oz. – 24" x 24" tile

# **O**Tarkett Hospitality

#### WYNDHAM AMERICINN CORRIDOR





Manufacturer:	Tarkett
Address:	285 Kraft Drive
	Dalton, GA 30721
Phone:	706.277.3000
Contact:	Jackie Passaro
	Jackie.Passaro@tarkett.com
Web:	www.tarketthospitality.com

Style Name:	Al101 AmericInn
Color:	410
Project Type:	Corridor
Machine Type:	Dynamics
Pattern Repeat:	72" x 144"
Radiant Panel:	Class 1
Smoke Density:	Less Than 450
Warranty:	10 Year Wear Guarantee
Recycled Content:	Lextron Essentials has 10% pre-consumer
	recycled content.
Environmental	
Information:	CRI Green Label Plus™ Certified
Construction:	D Dynamics-Servo Loop Scroll Tip Shear
Gauge:	1/10th
Tufted Pile Weight:	36 oz .
Finished Pile Weight:	72 oz.
Finished Pile Height:	High .25, Med .1875, Low .0625

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

• Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.

• All Specifications subject to normal manufacturing tolerance.













#### WYNDHAM AMERICINN CORRIDOR





Manufacturer:	Tarkett
Address:	285 Kraft Drive
	Dalton, GA 30721
Phone:	706.277.3000
Contact:	Jackie Passaro Jackie.Passaro@tarkett.com
Web:	www.tarketthospitality.com

	Standard	Tarkett Value
Stylr:	-	Element 04468
Color:	-	Shadow Lines 76004
Size:	-	18" X 36" tile
Type of product:	-	Corridor
Total thickness:	ASTM F386	0.280 " (7.06 mm)
Flammability:	ASTM E648	Class 1 (≥ 0.45 W/cm²)
Smoke density:	ASTM E662	450 or Less
Commercial warranty:	-	Lifetime Limited
Installation method:	-	Glue-Down
Surface treatment:	ASTM F410	Eco-Ensure (Fluorine-Free Soil Protection)
Construction:	-	Stratatec <sup>®</sup> Patterned Loop
Pile construction:	-	Patterned loop pile
Gauge:	-	5/64"
Stitches/Rows per Inch:	-	16 /in
Pile thickness:	ASTM D5848	0.100 " (2.57 mm)
Average pile height:	-	0.185 " (5 mm)
Fiber system:	-	Dynex <sup>®</sup> Nylon
Dye method:	-	Solution Dyed / Yarn Dyed
Secondary backing:	-	ethos® Modular with Omnicoat Technology™
Primary backing:	-	Synthetic Non-Woven
Soil protection:	-	Application Rate: 2% of Face Weigh
Surface flammablity:	-	Meets CAN/CGSB-4.2 No.27.6/ DOC FF 1-70
Electrostatic propensity:	-	≤ 3.0 kV
Face weight:	-	16 oz/yd²

# **O** Tarkett Hospitality









Color Number: 76004 Shadow Lines

• Specs: 16 oz. – 18" x 36" tile



### WYNDHAM AMERICINN BACK OF HOUSE





Tarkett
285 Kraft Drive
Dalton, GA 30721
706.277.3000
Jackie Passaro
Jackie.Passaro@tarkett.com
www.tarketthospitality.com

Ctulo Nomo:	A1202 American Reals of Llouise
Style Name:	Al202 AmericInn Back of House
Color:	110
Machine Type:	Dynamics
Pattern Repeat:	24" x 38"
Radiant Panel:	Class 1
Smoke Density:	Less Than 450
Warranty:	10 Year Wear Guarantee
Recycled Content:	Lextron Essentials has
	10% pre-consumer recycled content.
Environmental	
Information:	CRI Green Label Plus™ Certified
Construction:	D Dynamics-Servo Loop Scroll Tip Shear
Gauge:	1/10th
Tufted Pile Weight:	32 oz.
Finished Pile Weight:	68 oz.
Finished Pile Height:	High .25, Med .1875, Low .0625

#### Additional Information:

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/ loop patterns.
- All Specifications subject to normal manufacturing tolerance.













### WYNDHAM AMERICINN BACK OF HOUSE





Manufacturer:TarkettAddress:285 Kraft Drive<br/>Dalton, GA 30721Phone:706.277.3000Contact:Jackie Passaro<br/>Jackie.Passaro@tarkett.comWeb:www.tarketthospitality.com

	Standard
Style:	-
Color:	-
Type of product:	-
Size:	-
Total thickness:	ASTM F386
Flammability:	ASTM E648
Smoke density:	ASTM E662
Commercial warranty:	-
Installation method:	-
Surface treatment:	ASTM F410
Construction:	-
Pile construction:	-
Gauge	-
Stitches/Rows per Inch:	-
Pile thickness:	ASTM D5848
Average pile height:	-
Fiber system:	-
Dye method:	-
Secondary backing:	-
becondary backing.	
Primary backing:	-
Pattern scale:	-
Pattern repeat length:	-
Pattern repeat width:	-
Soil protection:	-
Stain Resistance:	AATCC 175-08
Surface flammablity:	-
Electrostatic propensity:	-
Face weight:	-

Tarkett Value Saveur 11442 Sovereign 76203 Back of House 18" x 36" tile 0.200 " (5.11 mm) Class 1 (≥ 0.45 W/cm<sup>2</sup>) 450 or Less Lifetime Limited Glue-Down Eco-Ensure (Fluorine-Free Soil Protection) Stratatec® Patterned Loop Patterned loop pile 5/64" 9.60 /in 0.045 " (1.12 mm) 0.140 " (4 mm) Dynex SD® Nylon (Stain resist) Solution Dyed ethos® Modular with Omnicoat Technology™ Synthetic Non-Woven Large 99.17 " 72 " Application Rate: 2% of Face Weight ≥8 Meets CAN/CGSB-4.2 No.27.6/ DOC FF 1-70 ≤ 3.0 kV 12 oz/yd²











• Tarkett Hospitality



Product Type: Back of House
Style Number: 11442 Saveur

Color Number: 76203 Sovereign

• Specs: 12 oz. – 18" x 36" tile

### WYNDHAM AMERICINN MEETING ROOM





Manufacturer:	Tarkett
Address:	285 Kraft Drive
	Dalton, GA 30721
Phone:	706.277.3000
Contact:	Jackie Passaro Jackie.Passaro@tarkett.com
Web:	www.tarketthospitality.com

Style Name:	Al103 AmericInn
Color:	310
Project Type:	Meeting Room
Machine Type:	Dynamics
Pattern Repeat:	48" × 84"
Radiant Panel:	Class 1
Smoke Density:	Less Than 450
Warranty:	10 Year Wear Guarantee
Recycled Content:	Lextron Essentials has 10% pre-consumer recycled content.
Environmental	
Information:	CRI Green Label Plus™ Certified
Construction:	D Dynamics-Servo Loop Scroll Tip Shear
Gauge:	1/10th
Tufted Pile Weight:	36 oz.
Finished Pile Weight:	72 oz.
Finished Pile Height:	High .25, Med .1875, Low .0625

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

• Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.

• All Specifications subject to normal manufacturing tolerance.













Product Type: Meeting Room
Style Number: Al103
Color Number: 310
Specs: 36 oz. – 12' Width

# • Tarkett Hospitality


### WYNDHAM AMERICINN MEETING ROOM





Manufacturer:TarkettAddress:285 Kraft Drive<br/>Dalton, GA 30721Phone:706.277.3000Contact:Jackie Passaro<br/>Jackie.Passaro@tarkett.comWeb:www.tarketthospitality.com

		1993
	Standard	Tarkett Value
Pattern	-	Marled Tweed 11072
Color:	-	Indigo Tweed 27312
Size:	-	24" x 24" tile
Type of product	-	Meeting Room
Total thickness	ASTM F386	0.195 " (5 mm)
Flammability	ASTM E648	Class 1 (≥ 0.45 W/cm²)
Smoke density	ASTM E662	450 or Less
Commercial warranty	-	Lifetime Limited
Installation method	-	Glue-Down
Surface treatment	ASTM F410	Eco-Ensure
		(Fluorine-Free Soil Protection)
Construction	-	Stratatec <sup>®</sup> Patterned Loop
Pile construction	-	Patterned loop pile
Gauge	-	5/64"
Stitches/Rows per Inch	-	8 /in
Pile thickness	ASTM D5848	0.090 " (2.24 mm)
Average pile height	-	0.185 " (5 mm)
Fiber system	-	TDX® Nylon
Dye method	-	Solution Dyed
Secondary backing	-	ethos® Modular with Omnicoat Technology™
Primary backing	-	Synthetic Non-Woven
Soil protection	-	Application Rate: 2% of Face Weight
Surface flammablity	-	Meets CAN/CGSB-4.2 No.27.6/ DOC FF 1-70
Electrostatic propensity	-	≤ 3.0 kV
Face weight	-	22 oz/yd²













Product Type: Meeting Room
 Style Number: 11072 Marled Tweed
 Color Number: 27312 Indigo Tweed
 Specs: 22 oz. – 24" x 24" tile



## WYNDHAM

AMERICINN GUEST LAUNDRY/LAUNDRY ROOM





#### Manufacturer: Address:

Phone: Contact:

Web:

Tarkett 285 Kraft Drive Dalton, GA 30721 706.277.3000 Jackie Passaro Jackie.Passaro@tarkett.com www.tarketthospitality.com

	Standard	Tarkett Value
Style:	-	Tarkett VCT
Color:	-	Sandcastle 1824
Size:	-	12" x 12" tile
Classification	-	Vinyl Composition Floor
Tile (ASTM F1066)		
Total thickness	ASTM F386	0.125 " (3.18 mm)
Installation method	-	Glue-Down
Pattern	-	Mineral
Pattern type	-	Mineral
Format type	-	Tile
Commercial warranty	-	5 years limited

#### Sustainability, Environment & Indoor Air Quality

ReStart®	-	Yes
Phthalate content	-	Phthalate-free (except recycled content)
TVOC emission	-	≤ 10 µg / m³
Floorscore certified	-	Yes
Pre Consumer recycled content	-	15 %
Post Consumer recycled content	-	1.90 %
EPD available	-	Yes
NSF 332 Certification	-	Compliant



