Tandus Centiva

LVT VICTORY® SERIES

Victory Styles Used: Coral Reef, Magics Contour Style Used: Fusion For specific colors used, see page 18



Victory Styles Used: Coral Reef, Magics For specific colors used, see page 18

Tandus Centiva

LVT



Victory Styles Used: Chroma, Coral Reef, Magics Contour Styles Used: NuGrain, Porcelain For specific colors used, see page 18



Victory Style Used: Coral Reef For specific colors used, see page 18

LVT

Victory Styles Used: Chroma, Coral Reef Contour Style Used: Modern Wood For specific colors used, see page 18



Victory Styles Used: Chroma, Brites Contour Style Used: NuGrain For specific colors used, see page 18

Victory Styles Used: Chroma, Coral Reef Contour Style Used: NuGrain For specific colors used, see page 18





Victory Style Used: Magics For specific colors used, see page 18 - A model



CHROMA



BRITES





VBR 3007

DAZZLBERRY



FANTANGO



SHOCK ME PINK

MINERAL CHIP

PLUMTASTIC



Each tile in this handcrafted style is unique and may vary in shade due to the use of metallic pigment and variance in chip concentration.



ABLAZE

CORAL REEF





BEACH MOSS



TROPICANA



SEASPRAY



VIOLET RAIN



CERISE





MARS RED









ARUBA



OCEAN BLUE



PURPLE HAZE



GOLD DUST



WINDRIFT



SANDCASTLE



MYSTIC SEA



BLACK PEARL



MAGICS



SILVER



SAPPHIRE



JADE



OLIVINE



SUNSTONE



CITRINE



VMG 8016

FOOL'S GOLD

VMG 8034

VMG 8017

COPPER

τοράζ



CHARCOAL



```
BALTIC
```





VERMEIL



JASPER



CABERNET



SMOKEY QUARTZ



FLORENTINE BRASS



AUBERGINE

PRODUCT USED IN PHOTOGRAPHY

Cover:		
Victory Series: Coral Reef	Colors:	Arctic VCR 0001, Pearl VCR 0003
Victory Series: Magics	Color:	Florentine Brass VMG 8010
Contour Series: Fusion	Color:	Sand CFN 3724
Page 2:		
Victory Series: Coral Reef	Colors:	Arctic VCR 0001, Beach Moss VCR 0015,
		Moondance VCR 0051
Victory Series: Magics	Colors:	Silver VMG 8018, Lead VMG 8020,
		Charcoal VMG 8027
Page 2		
Page 3: Victory Series: Chroma	Colors:	Glacier VCM 0231, Stardust VCM 0221
Victory Series: Coral Reef	Color:	Windrift VCR 0035
Victory Series: Magics	Color:	Charcoal VMG 8027
Contour Series: NuGrain	Colors:	Prima CNU 3717, Sterling CNU 3712
Contour Series: Porcelain	Color:	Mousy CPN 09333
		,
Pages 4-5:		
Victory Series: Coral Reef	Colors:	Arctic VCR 0001, Kiwi VCR 0060, Mist VCR 0068
Page 6:		
Victory Series: Chroma	Colors:	Orchid VCM 0108, Ebony VCM 0120
Victory Series: Coral Reef	Color:	Arctic VCR 0001
Contour Series: Modern Wood	Colors:	Loft Oak CMD 3732, Whisper CMD 3604
Page 7:		
Victory Series: Chroma	Colors:	Catalina VCM 0110, Outer Space VCM 0233
Victory Series: Brites	Colors:	Fantango VBR 3005, Citreuse VBR 2004
Contour Series: NuGrain	Color:	Peacock CNU 3716
Pages 8-9:		
Victory Series: Chroma	Colors:	Charlock VCM 0114, Peppercorn VCM 0116,
		Glacier VCM 0231
Victory Series: Coral Reef	Color:	Black Pearl VCR 0065
Contour Series: NuGrain	Color:	Gunmetal CNU 3710
Pages 10-11:		
Victory Series: Mineral Chip	Color:	Demure VMN 3126
Victory Series: Chroma	Color:	Ebony VCM 0120
Victory Series: Magics	Colors:	Vermeil VMG 8025, Smokey Quartz VMG 8028,
		Silver VMG 8018
Pages 12-13:		
Victory Series: Magics	Colors:	Vermeil VMG 8025, Topaz VMG 8034,
		Smokey Quartz VMG 8028

SIZE AVAILABILITY

• Preferred

mm inches	305 × 305 12"x 12"	305 x 457 12"x 18"	457 x 457 18"x 18"	152 x 915 6"x 36"	228 × 915 9"x 36"	305 × 915 12"x 36"	457 x 915 18"x 36"	915 x 915 36"x 36"
Victory [®] Series								
Brites	•	•	•	•	•	•	•	•
Chroma	•	•	•	•	•	•	•	•
Coral Reef	•	٠	•	•	•	•	•	•
Magics	•	•	•	•	•	•	•	•
Mineral Chip	•	•	•	•				

The sizes above have been chosen to best complement the design of the product. For additional size options, please contact your Tandus Centiva representative.

PACKAGING

VICTORY® SERIES

Sizes: Quantity:	12″x12″ 45 tiles per ctn 45 sq. ft. per ctn	12″x18″ 30 tiles per ctn 45 sq. ft. per ctn	18″×18″ 20 tiles per ctn 45 sq. ft. per ctn		
Weight:	45 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn		
Sizes: Quantity:	6″x36″ 24 planks per ctn 36 sq. ft. per ctn	9″x36″ 20 tiles per ctn 45 sq. ft. per ctn	12″x36″ 15 tiles per ctn 45 sq. ft. per ctn	18″x36″ 10 tiles per ctn 45 sq. ft. per ctn	36″x36″ 10 tiles per ctn 90 sq. ft. per ctn
Weight:	36 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn	45 lbs. per ctn	90 lbs. per ctn

Sizes are style specific. Refer to the size chart above.

PRODUCT COORDINATES – SOFT SURFACE





AVANT

RESPONSE

CARTOGRAPHY



CODE/CODE TRANSITION





MAELSTROM

AELSTROW





CAMPAIGN

THE ULTIMATE FLOORING EXPERIENCE

Tandus Centiva, a Tarkett company, creates innovative floorcovering solutions through our unique line of Powerbond[®], Modular, Broadloom, Woven, LVT and MetalEdge transition products. Each of our product platforms offer coordinated styles, extensive color ranges and a variety of patterns and textures that enhance the appearance of any commercial environment. Tandus Centiva products are also designed to coordinate with a variety of Johnsonite wall base and finishing accessories, providing the Ultimate Flooring Experience across the Tarkett family of brands.



PRODUCT COORDINATES – TRANSITION: METALEDGE COLLECTION

MetalEdge provides a transition solution and finish detail for any commercial space. It is offered in three aesthetically pleasing and tastefully refined systems, each engineered and colored to work with a vast array of Tandus Centiva soft and hard surface product platforms. Please contact your Tandus Centiva account executive for details.



STEEL 00179*



IRONSTONE 00178*



BLACK PEARL 00082*



BRASS 00176*

IMAGINATIONS[™] CUSTOM FLOOR DESIGN

TECHNOLOGY

Tandus Centiva's focus on design sets us apart. You can choose from our vast array of standard patterns or work with our in-house cutting department to create custom designed flooring solutions. Tandus Centiva's unique ultrasonic cutting system — currently the most advanced in the world — is paired with state-of-the-art CAD technology which assures clean, precise cuts for even the most intricate designs with no entry or end points.



PROCESS

Our knowledgeable staff will guide you from the early stages of the project through completion.

- Start with a standard design or send us your concept in a digital format.
 Tandus Centiva's design team will help determine appropriate sizes, colors, textures and edge treatments for your project.
- After the quote and layout are approved, the order can be placed for final design, costing and production.
 The design is cut using an ultrasonic cutting system paired with CAD technology.
 Designs are fully assembled prior to shipment assuring quality and proper fit.
 Each design is shipped in sections to allow for trouble free installation.









IMAGINATIONS™ CUSTOM FLOOR DESIGN

The Imaginations Custom Floor Design program translates your vision onto the floor using LVT. Whether it's an abstract design, wayfinding, branding or school mascot, our products fulfill your needs. Tandus Centiva offers design capabilities that are unmatched by any other in the industry. Our LVT is precision cut with an ultrasonic knife, ensuring the

most intricate creations. Inlay designs are created by the architect, designer or owner as part of the floor plan and cut by our in-house Imaginations team using CAD technology. The custom design is easily installed on-site by the flooring contractor. Contact your Tandus Centiva account executive to get started.













BORDERS

Accent a space using one of our standard borders. These designs are available in 4" and 6" widths. Any of our Victory[®], Contour[®] or Event[®] Series products can be used in these standard border designs, making exciting floors easy.



MEDALLIONS

Our medallions add emphasis to any entrance, hallway or highlighted area. These standard designs are easily customized to your specifications, allowing you to create floors as unique as the environments surrounding them.

The standard size for circular medallions is 48" in diameter. Square modules are available in 18" and 36" sizes. Any of our Victory[®], Contour[®] or Event[®] Series products can be used in these standard designs.



BAROQUE MD-18



ENTWINED MD-17



PALM MD-32



SWIRL MD-20



CHECKERBOARD MD-01



FEATHER MD-31



ROSETTE MD-06



 \mathbb{N} Ø W E



COMPASS MD-10

S



FIDDLEHEAD MD-14



STARDOM MD-19





INTERLOCKED SQUARES MD-35



STARLIGHT MD-11

WINDMILL MD-02

FLOOR PATTERNS

Great flooring takes on added dimension and special interest when used in patterns. Make an artistic statement, enhance a space or build on other decor selections. Using floor patterns can be simple and the design payoff is substantial. Choose from a number of ideas presented here, or design your own.



1 CORNER 80-33



2 CORNER 80-36

CHEVRON 80-52



4 CORNER 80-30



DECORATIVE 113







CHECKER BLOCK 80-53



MOD 117



RANDOM TILES 80-03



OCTAGONAL 115



TIK TAK 80-46



OFFSET KEYSTONE 80-51



VERTICAL CUT 80-56



HERRINGBONE 80-05



RANDOM PLANK 80-01

DESIGN ACCENTS

Create a noteworthy floor by incorporating one or more design accents. Any Victory[®], Contour[®] or Event[®] product can be supplied as feature strips, offering a unique grout appearance.

FEATURE STRIPS

Any Victory, Contour or Event Series product can be supplied as feature strips. Feature strips are available in 1/8", 1/4", 1/2", 3/4", 1" and 2" in 36" lengths.

Feature strip options are illustrated below. An interesting grout appearance may be achieved by combining a feature strip of a lesser thickness and a beveled tile edge.



* Not available on all styles. Please refer to technical specifications for more information.

KEYSTONES

Keystones can be cut from any Victory, Contour or Event Series product. 2"x 2" to 9"x 9."





Tandus Centiva



TILE + PLANK

VICTORY® SERIES

0.120" (3.0 mm)

Optional Frost (FR) Granite (JS) Slate (SS)

ASTM E662

ASTM F1515 ASTM F925

ASTM F1514

ASTM F1700 Class I Type B

N/A, Homogeneous- Solid vinyl tile

Square (SE), optional Slight Bevel (SB)

SPECIFICATIONS

Classification: **Total Thickness:** Wear Layer Thickness: Edge Treatment: Emboss:

Warranty: Colors:

TESTING

Flexibility:
Dimensional Stability:
Static Load:
Residual Indentation:
Flammability:
Slip Resistance:
Smoke Density:
Resistance to Light:
Chemical Resistance:
Resistance to Heat:

20-Year Limited Commercial Wear Warranty 84 ASTM F137 Passes ASTM F2199 Passes ASTM F970 Passes ASTM F1914 ASTM E648 ASTM D2047

Excellent CRF≥0.45 watts/cm² NFPA Class 1 Passes >0.5 ADA Compliant Passes <450 D^{MC} Excellent Excellent Excellent

ENVIRONMENTAL DATA

Materials:	No Heavy Metals; Phthalate-free	
Indoor Air Quality:	Meets CDPH Standard Method v1.1-2010;	
	FloorScore [®] Certification	
Recyclability:	100% Recyclable through our ReStart® Program	
LEED Scoreboard:	LEED 2009	LEED v4
	MRc2 Construction Waste Management	MRc2 Building Product Disclosure and Optimization –
	MRc5 Regional Materials	Environmental Product Declarations
	IEQ 4.1 Low-Emitting Adhesives	MRc3 Building Product Disclosure and Optimization –
	IEQ 4.3 Low-Emitting Materials Flooring	Sourcing of Raw Materials
Third neutry Contifications		MRc5 Construction and Demolition Waste Management
Third-party Certification:	NSF/ANSI-332 Gold	IEQc2 Low-Emitting Materials
Manufacturing:	Made in the USA	
	ISO 9001 Quality Management System	
	ISO 14001 Environmental Management System	Information subject to change. For samples, warranties and
	OHSAS 18001 Occupational Health and	the most up-to-date specifications, visit tandus-centiva.com
	Safety Management System	or call 800.248.2878.
Packaged In:	Recycled, corrugated cardboard	
		Photos may not accurately depict color. Please order samples for exact product color.







UL.COM/EL NSF 332

