

True to Form Stone

Castlerock Sandstone | Ebbing Travertine | Melded Concrete
Mineral Basalt | Native Soapstone | Palladian

CONTOUR® LUXURY VINYL TILE

 **Tarkett**



Great design. Just as you imagined.

Evoking both beauty and strength, natural elements such as wood and stone have long been used to create timeless designs that are both welcoming and inspiring. The True to Form collection, exclusively on our Contour® construction of 32-mil wear layer luxury vinyl tile, empowers you to explore your creative boundaries with genuine wood and stone visuals.

True to Form Stone LVT flooring features a stunning collection of six stone patterns and a palette of 24 colors—each with a unique story for you to tell. Whether created from sourced stone slabs or poured concrete, each design is a testament to the forces of nature and its remarkable artistry. All designs are exclusive to Tarkett.

And true to its name, the collection performs exactly as you expect: solidly.



To learn more about the collection,
go to commercial.tarkett.com/contour

ON COVER:
Ebbing Travertine PCET Cascading Taupe 4665 | 12" x 36" vertical ashlar installation & triangles custom installation
Palladian PCPD Palazzo 4662, Terrace 4663 | Triangles custom installation



Native Soapstone PCWT Glacial Glow 4652 | Color Pop PCOP Saturn Sky C125, Bombay Beach C137, Apricot C141, Sunbeam C177 | Hexagons custom installation

Castlerock Sandstone PCSN

3 colors | V2—moderate variation | 6" x 24", 6" x 36",
12" x 36", 18" x 18", 12" x 13.8" hexagon, 6.9" triangle



V1 Slight variation V2 Moderate variation V3 High variation

Color and visual variation is inherent in all modular resilient products. As determined by design intent some patterns and colors can vary slightly or significantly from piece to piece within a pattern. Prior to installation, we recommend reviewing multiple tiles.



Fortress 4653 QU
32 Pebble WG *



Sunrise Sands 4654 QU
09 Clay WB *



Dune Crest 4655 QU
TG2 Shark Fin CG *



Color Name **000**
00 Coordinating Color

Wall base coordinates key

* We've identified Color Foundations™ neutrals in the following way: **WB** (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).

* Suggested colors for finishing borders (wall base). Coordinated Johnsonite® accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.



Castlerock Sandstone PCSN Dune Crest 4655 | 18" x 18" vertical ashlar installation



Ebbing Travertine PCET

3 colors | V2—moderate variation | 6" x 24", 6" x 36",
12" x 36", 18" x 18", 12" x 13.8" hexagon, 6.9" triangle



Ethereal 4666 QU
24 Grey Haze WG *



Cascading Taupe 4665 QU
31 Zephyr CB *



Spatial Grey 4664 QU
469 Mystify CG *

Melded Concrete PCMC

2 colors | V2—moderate variation | 6" x 24", 6" x 36",
12" x 36", 18" x 18", 12" x 13.8" hexagon, 6.9" triangle



Worn Terrain 4657 QU
TA8 Welsh Castle CB *



Pale Oxide 4656 QU
TA5 Colonial Grey CG *



*See the wall base coordinates key and the visual variation index on page 4.

Melded Concrete PCMC Pale Oxide 4656 | 12" x 36" vertical ashlar installation



Mineral Basalt PCMB Moonstone 4646, Plateau 4641 | Hexagons custom installation
Create Emphasis PCCA Align 11518 | Color Pop PCOP Babe C126, Dandelion C131 | Hexagons & triangles custom installation

Mineral Basalt PCMB

7 colors | V2—moderate variation | 6" x 24", 6" x 36",
12" x 36", 18" x 18", 12" x 13.8" hexagon, 6.9" triangle




Paved Path 4645 QU
TA6 Bedrock CG *



Crater Lake 4647 QU
TG6 Mink WG *



Moonstone 4646 QU
121 Cement CB *



Sculpted Grey 4644 QU
469 Mystify CG *



Feldspar 4642 QU
45 Sandalwood WB *



Plateau 4641 QU
VK8 Sandstorm CB *




Hudson Rock 4648 QU
283 Toast *


*See the wall base coordinates
key and the visual variation index
on page 4.

Native Soapstone PCAV


4 colors | V1—slight variation | 6" x 24", 6" x 36",
12" x 36", 18" x 18", 12" x 13.8" hexagon, 6.9" triangle



Stormy Slate 4650 QU
40 Black B *



Moonlit Charcoal 4649 QU
VL4 Cool Metal *



Blushed Taupe 4651 QU
49 Beige WB *



Glacial Glow 4652 QU
VK7 Mt Rainier WG *

*See the wall base coordinates key and the visual variation index on page 4.



Native Soapstone PCAV Moonlit Charcoal 4649, Stormy Slate 4650, Blushed Taupe 4651, Glacial Glow 4652 | Triangles custom installation



Palladian PCPD Terrace 4663, Palazzo 4662 | 18" x 18" quarter turn installation

Palladian PCPD

5 colors | V1—slight variation | 6" x 24", 6" x 36",
12" x 36", 18" x 18", 12" x 13.8" hexagon, 6.9" triangle




Terrace 4663 QU
50 White W *




Palazzo 4662 QU
38 Pewter CG *



Murano 4660 QU
121 Cement CB *



Strata Nova 4661 QU
TA8 Welsh Castle CB *



Mystic Beige 4659 QU
VK8 Sandstorm CB *

*See the wall base coordinates key and the visual variation index on page 4.

Design outside the lines



Don't just push creative boundaries—shatter them. The True to Form Stone LVT collection is built on Tarkett's Contour construction and technology, unleashing your imagination to create perfectly crafted environments from the ground up. With the design-forward Contour collection, you now have versatile and unique colors, patterns and shapes that allow you to test the limits of your creativity.

Digital services

Our additional design services allow for even more creativity. Want to add a school logo to your floor? No problem. A custom corporate message? Sure. Or maybe you're looking for support in the form of professional renderings to help sell your flooring concept. No matter your need, Tarkett experts are here to help you solve your biggest flooring challenges and deliver personalized solutions you can be proud of.



IMAGINATIONS® custom floor design

If you can imagine it, then we can translate it onto your floor. Our IMAGINATIONS personalized floor design program is used for more intricate and detailed designs. Designs are fabricated at our manufacturing facilities, shipped to the job site and inset by the flooring contractor.

Logos, corporate messaging, school mascots, government seals, unique images or any idea you imagine can become art on a horizontal plane. With our unique line of product platforms, you can use shape, color and texture to design a floor that will help create an experience and communicate a brand message. Custom cutting can also be used in practical ways, such as showing direction or dividing a space without using physical barriers.



Tailored by Tarkett

Create profoundly unique spaces with our Tailored by Tarkett design tools, capabilities and services. Whether you're designing a new building or replacing existing flooring at your facility, you can choose to personalize our running line products or produce a never-before-seen design with our full customization tools. And if you're looking for expert guidance on how to transform your space, you can even get in touch with one of our knowledgeable designers.



Carpet & LVT studio

Visualize Tarkett's extensive line of carpet and LVT colorways in a variety of commercial environments.



Tarkett Techtonic® delivers unequaled resistance to scratches, abrasions and scuffs.

Every flooring product has a coating, but only Tarkett has Techtonic: a groundbreaking solution that strengthens the durability of LVT, giving you better performance for the price. By mixing rugged protection with a beautiful matte finish, Techtonic keeps your floors’ surfaces looking better and lasting longer.



Resists scratches 40% better

You'll never have to choose between replacing a new floor or living with the damage.

Just one exposed nail in the foot of a chair can scratch a new floor and produce whitening. In a series of laboratory experiments utilizing a diamond-tipped Taber Scratch tool, Techtonic performed significantly better than the industry market leader—withstanding greater pressure without scratching or scratch whitening.



18% more protection against abrasions

Now you can move furniture with more freedom—and less concern.

Surface sheen is worn away by repetitive actions in high-traffic areas, such as the movement of chairs and tables. By protecting surfaces, Techtonic preserves not just their sheen, but your peace of mind.



Best-in-class scuff resistance

Spend less time cleaning black marks (and more years enjoying spotless surfaces).

Those black marks from dragging shoes and chair casters? They're scuff marks caused by friction. No product on the market fights them better than Techtonic—a solution that keeps your floors performing better, year after year.





Immaculate stain defense

Momentary mishaps shouldn't have permanent effects.

Techtonic's polyurethane coating provides an advanced level of security against stains, reducing the chances of damaged flooring (and expensive cleaning).



Techtonic outperforms the industry leader.

Applied to LVT made in Florence, Alabama, Techtonic offers performance in the top of its class. In a series of laboratory tests, Techtonic-protected LVT floors repeatedly outperformed our #1 market-leading competitor: matching their strength against scuffing and abrasion, while exceeding their resistance to scratching, slipping and dimensional stability.



Lab tests showed results—not scratches.

A diamond-tipped Taber Scratch tool was used to test the performance of Techtonic against that of the industry's leading product protection. After being subjected to equivalent Taber Scratch protocol, the competitor's sample displayed more and deeper visible scratches than Techtonic.*



Scratch whitening is easier to see on dark surfaces than light ones. But even when we scratch-tested our darkest matte finish against the competitor's lighter wood grain pattern, Techtonic still performed better.

*Based on Tarkett internal testing of Techtonic against multiple competitors. To ensure accuracy, experiments were conducted in more than one laboratory.

Tarkett Solution SPECtrum™

Design more brilliantly.

At Tarkett, we believe in placing people in the center of every space. So we’ve developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet and performance.

The BrillianceSM Digital Color System puts the entire TARKETT SOLUTION SPECtrum portfolio at your fingertips—no matter where you happen to be working. Within one digital tool, you can save favorite surfaces to project boards, visualize them in a space and order samples. By getting the right color match every time, the tool reduces sample waste and shipping, helping us all design more responsibly and reduce our carbon footprints.



Speak to your Tarkett sales representative to get started or scan the QR code to visit brilliance.tarkett.com.

- 1. True to Form Stone LVT
Native Soapstone PCAV Moonlit Charcoal 4649
- 2. Johnsonite DuraCove® wall base
Traditional Toe DC-VK8 Sandstorm
- 3. Johnsonite DuraCove wall base
Traditional Toe DC-VL4 Cool Metal
- 4. Carpet tile
Create Vision G0079 Destination 32803
- 5. Homogeneous sheet and tile
iQ® Optima® 873 Koala Bear
- 6. Johnsonite rubber tile
Minerality PA2 Sculpted
- 7. True to Form Stone LVT
Palladian PCPD Terrace 4663
- 8. True to Form Wood LVT
Branched Oak PCBR Bayview 4612
- 9. True to Form Wood LVT
Medley Maple PCEM Alto 4638
- 10. Carpet tile and Powerbond® hybrid carpet
Create Balance 11770 Hybrid 32807





Proof in every stepSM

For years, Tarkett has raised the sustainability standards of our industry. We took the first steps and are determined to stay a step ahead.

And while inspirational words are great, we know impact is in the numbers—numbers subjected to intense third-party scrutiny. So, at Tarkett we don't just say it, **we prove it.**

These three values help us stay the course when it comes to sustainability.



Setting new transparency standards

What you begin with affects everything that comes after it. That's why we subject our products to relentless scientific scrutiny and third-party testing and offer radical transparency about our materials and operations.



Empowering the next step in the value chain

We make our business partners and customers more inherently sustainable with products and practices that consider every step in the value chain.



Creating healthier futures

We base all our sustainability initiatives on our commitment to create healthier environments indoors and out, today and for generations to come.

You can feel confident in the numbers



A holistic approach you can count on ...



... and certifications you can trust.



We're leaders in radical transparency.



Setting tomorrow's standards ...



... for globally recognized excellence.

95%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business.

100_{ppm}

raw materials content revealed down to 100 parts per million.

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

99%

of flooring solutions have low VOC emission levels—10x lower than the most stringent world standards.

2010

first flooring manufacturer to join the UN Global Compact.

70%

of raw materials are abundant, rapidly renewable or recycled.

2013

first commercial flooring **CERTIFIED asthma and allergy friendly®.**

100%

ortho-phthalate-free vinyl production. First company to eliminate ortho-phthalates from all products.

2021

awarded the Gold medal by EcoVadis; now ranked among the top 2% of companies in our industry rated by EcoVadis.

14

zero-waste to landfill manufacturing plants.

2022

Powerbond RS is the first soft surface product in the industry to be **CERTIFIED asthma and allergy friendly®.**

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.

2022

scored A-, the CDP management level, regarding the climate change performance assessment.

At Tarkett, social and environmental responsibility aren't add-ons. They're woven, stamped and sealed into everything we do. **But more importantly, we don't just say this, we prove it.**

Key attributes



Durability

Techtonic and 32 mil wear layer deliver superior resistance with no scratch whitening



Ease of installation

RollSmart™ roll-on adhesive dries in as little as 15 minutes and allows immediate occupancy



Healthy materials

Free of ortho-phthalates and all Six Classes of harmful chemicals according to the Green Science Policy Institute




Made in USA

Designed and manufactured in Florence, Alabama; Buy American Act Compliant








Contour construction

Contour is Tarkett’s premium LVT construction, featuring top-of-the line durability and protection, as well as our broadest selection of visuals across Wood, Stone and Abstract collections.



Specifications

CONTOUR® LUXURY VINYL TILE

| | | | | | | |
|-----------------------------|---|--|--|---|--|--|
| Style name / number: | True to Form Stone | | | | | |
| Warranty: | 25 year | | | | | |
| Sample sizes: | 6" x 6", 12" x 36" | | | | | |
| Tile sizes: | 6" x 36" | 12" x 36" | 18" x 18" | 6" x 24" (NEW) | 12" x 13.8" hexagon (NEW) | 6.9" triangle (NEW) |
| Carton quantity: | 24 planks per carton | 15 planks per carton | 20 tiles per carton | 36 planks per carton | 20 tiles per carton | 120 tiles per carton |
| | 36 sq. ft. per carton | 45 sq. ft. per carton | 45 sq. ft. per carton | 36 sq. ft. per carton | 17.3 sq. ft. per carton | 120 tiles per carton |
| | 36 lb. per carton | 45 lb. per carton | 45 lb. per carton | 36 lb. per carton | 17.3 lb. per carton | 17.3 sq. ft. per carton |
| Carton weight: | 60 cartons per pallet | 45 cartons per pallet | 52 cartons per pallet | 72 cartons per pallet | 52 cartons per pallet | 52 cartons per pallet |
| Total thickness: | 0.120" (3 mm) | | | | | |
| Wear layer thickness: | 32 mil (0.8 mm) | | | | | |
| Finish: | Techtonic | | | | | |
| Edge treatment: | Square Edge (SE) | | | | | |
| Emboss: | QU | | | | | |
| Colors available: | 24 | | | | | |
| Install method: | Glue down | | | | | |
| Install options: | 6" x 36" Unidirectional Herringbone | 12" x 36" Vertical ashlar | 18" x 18" Quarter turn Vertical ashlar Horizontal ashlar | 6" x 24" Unidirectional Herringbone | 12" x 13.8" hexagon Random | 6.9" triangle Random |
| |  UNIDIRECTIONAL |  HERRINGBONE |  VERTICAL ASHLAR |  QUARTER TURN |  HORIZONTAL ASHLAR |  RANDOM |
| | | | | | | Now with three new tile sizes and shapes  |

+TECHTONIC®

| | | |
|------------------------|-------------------------------|---|
| Testing | | |
| Classification: | ASTM F1700 | Class III, Type B performance |
| Flexibility: | ASTM F137 | Passes |
| Static-Load-Limit: | ASTM F970 | 250 psi, ≤ 0.005" |
| Residual-Indentation: | ASTM F1914 | Passes |
| Slip-Resistance: | ASTM D2047 | ≥ 0.5 SCOF |
| Dimensional Stability: | ASTM F2199 | Passes |
| Resistance to Heat: | ASTM F1514 | ΔΣ ≤ 8.0 |
| Resistance to Light: | ASTM F1515 | ΔΣ ≤ 8.0 |
| Chemical-Resistance: | ASTM F925 | Passes |
| Fire-Performance: | ASTM E648 CAN / ULC S102 2 | Class 1 (≥ 0.45 watts/cm²) FSV 160 / SVD 420 |

Adhesives for LVT products

A brief comparison of adhesive products recommended for use with Tarkett LVT, in multiple installation scenarios.

| | |
|--|---|
| Adhesive | Moisture RH |
| RollSmart™ | 95% Allows immediate occupancy |
| 975 two-part urethane adhesive | 90% For install with heavy point loads, intense direct sunlight, topical moisture, and extreme temperature variation |
| 959HM high moisture substrate adhesive | 99% New concrete 95% 2+ year-old concrete |
| 996 two-part epoxy adhesive | 90% For installations with heavy point loads, intense direct sunlight, topical moisture, and extreme temperature variation. |

Sustainability attributes


| |
|--|
| CONTOUR® LUXURY VINYL TILE |
| Carbon neutrality: Carbon neutral available upon request |
| Healthy materials: 95% raw materials third-party assessed; ortho-phthalate-free |
| Indoor air quality: FloorScore® certified; meets CA DPH Section 01350 |
| Transparency documentation: Industry-wide EPD |
| Responsible end of use management: Part of Tarkett ReStart program for take back and recycling |



To join the **ReStart** program, scan the QR code or go to **commercial.tarkett.com/Restart**

Transparency documentation

At Tarkett, transparency, social responsibility and environmental stewardship aren’t add-ons—they’re part of everything we do. By partnering with ecomedes and mindful MATERIALS, we make it easy for you to explore our sustainable flooring product options, their product certifications, green building systems and federal standards support documents. Visit **tarkett.ecomedes.com** to learn more.



For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.
©Tarkett North America 2559900016 01/2024

Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.248.2878 | [tarkett.com](https://www.tarkett.com)

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.