

# True to Form Wood

Artful Oak | Branched Oak | Chronical Oak | French Oak | Medley Maple  
Natural Walnut | Proper Oak | Wetland Cypress | Wildcraft Maple

CONTOUR® LUXURY VINYL TILE

 **Tarkett**



# Great design. Just as you imagined.

Evoking both beauty and strength, natural elements such as wood and stone have long been used to create timeless designs that are both welcoming and inspiring. The True to Form collection, exclusively on our Contour® construction of 32-mil wear layer luxury vinyl tile, empowers you to explore your creative boundaries with genuine wood and stone visuals.

True to Form Wood LVT flooring marries the splendor and craftsmanship of authentic wood flooring with the durability and performance of luxury vinyl tile. Meticulously designed and curated, this collection features 40 wood colors in nine woodgrain patterns—from the warm golden hues of oak to the deep luxurious tones of walnut. All designs are exclusive to Tarkett.

And true to its name, the collection performs exactly as you expect: dependably.



To learn more about the collection,  
go to [commercial.tarkett.com/contour](https://commercial.tarkett.com/contour)

ON COVER:  
**Artful Oak PCMK** Native Trails 4624 | **Chronical Oak PCCL** Archive 4620  
**Wetland Cypress PCCY** Kashmir 4607 | **Create Meaning PCCS** Energize 11527  
Custom installation



# Artful Oak PCMK

6 colors | V2—moderate variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle



**Color and visual variation** is inherent in all modular resilient products. As determined by design intent some patterns and colors can vary slightly or significantly from piece to piece within a pattern. Prior to installation, we recommend reviewing multiple tiles.



Karamore 4626 TK  
63 Burnt Umber B \*



Native Trails 4624 TK  
150 Wetlands \*



Archer 4627 TK  
101 Seaweed \*



Countryside 4622 TK  
461 Wicker WB \*



High Plains 4623 TK  
09 Clay WB \*



Berkshires 4625 TK  
24 Grey Haze WG \*



Color Name 000  
00 Coordinating Color

**Wall base coordinates key**

\* We've identified Color Foundations™ neutrals in the following way: **WB** (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).

\* Suggested colors for finishing borders (wall base). Coordinated Johnsonite® accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.



Artful Oak PCMK Native Trails 4624 | 6" x 36" herringbone installation





Branched Oak PCBR Meadow Grove 4608 | 6" x 24" herringbone installation

# Branched Oak PCBR


5 colors | V2—moderate variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle



Willow Creek 4609 TK  
461 Wicker WB \*




Brook Hill 4611 TK  
VK8 Sandstorm CB \*



Meadow Grove 4608 TK  
461 Wicker WB \*



Bayview 4612 TK  
VK8 Sandstorm CB \*



Silver Springs 4610 TK  
VL1 Harvest Time CB \*

\*See the wall base coordinates key and the visual variation index on page 2.



# Chronical Oak PCCL

3 colors | V2—moderate variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle



Journal 4621 TK  
283 Toast \*



Archive 4620 TK  
45 Sandalwood WB \*



Memoir 4619 TK  
TA8 Welsh Castle CB \*

\*See the wall base coordinates key and the visual variation index on page 2.







# French Oak PCFH

5 colors | V2—moderate variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle



Burgundy 4616 RG  
47 Brown \*




Bordeaux 4617 RG  
101 Seaweed \*



Chambéry 4615 RG  
44 Dark Brown B \*



Anjou 4614 RG  
281 Grizzly CB \*



Savoy 4613 RG  
VK7 Mt Rainier WG \*



# Medley Maple PCEM


5 colors | V3—high variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle



Timbre 4639 TK  
49 Beige WB \*



Allegro 4636 TK  
09 Clay WB \*



Crescendo 4637 TK  
281 Grizzly CB \*



Alto 4638 TK  
121 Cement CB \*



Symphony 4640 TK  
45 Sandalwood WB \*

\*See the wall base coordinates key and the visual variation index on page 2.




Medley Maple PCEM Crescendo 4637 | 6" x 36" unidirectional installation  
Artful Oak PCMK Native Trails 4624 | Wetland Cypress PCCY Kashmir 4607 | Triangles custom installation





# Natural Walnut PCWT


3 colors | V1—slight variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle



Commonwealth 4600 TK  
47 Brown \*



Millcreek 4603 TK  
TA1 Tannery WB \*



Allegheny 4601 TK  
101 Seaweed \*



# Proper Oak PCPO

5 colors | V2—moderate variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle



Woodrow 4631 TK  
283 Toast \*



Fairfax 4628 TK  
09 Clay WB \*



Somerset 4630 TK  
45 Sandalwood WB \*



Acton 4632 TK  
VK8 Sandstorm CB \*



Ogden 4629 TK  
VL2 Whispering Mist CB \*

\*See the wall base coordinates key and the visual variation index on page 2.



Proper Oak PCPO Acton 4632 | Color Pop CPOP Merlot C135, Apricot C141, Malt C146 | Needle & Thread PCNT Firewood 11392 | Hexagons custom installation






Wetland Cypress PCCY Kashmir 4607 | 6" x 48" unidirectional installation

# Wetland Cypress PCCY

4 colors | V3—high variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle



Fugi 4605 TK  
47 Brown \*



Montezuma 4606 TK  
283 Toast \*



Kashmir 4607 TK  
VN2 Stone Cottage WG \*



Tidewater 4604 TK  
VN1 White Slipper W \*

\*See the wall base coordinates key and the visual variation index on page 2.



# Wildcraft Maple PCWC

4 colors | V3—high variation | 6" x 48", 6" x 36",  
6" x 24", 12" x 13.8" hexagon, 6.9" triangle




Solace 4658 NG  
32 Pebble WG \*



Charmed 4633 NG  
VL1 Harvest Time CB \*



Enchanted 4634 NG  
TA1 Tannery WB \*



Haven 4635 NG  
79 Bone White W \*



\*See the wall base coordinates key and the visual variation index on page 2.

Wildcraft Maple PCWC Haven 4635 | 6" x 48" unidirectional installation  
Demure PCDE Sage 11378, Eucalyptus 11377, Sea Clay 11371, Dewy Grey 11373 | 18" x 18" vertical ashlar installation



# Design outside the lines



Don't just push creative boundaries—shatter them. The True to Form Wood LVT collection is built on Tarkett's Contour construction and technology, unleashing your imagination to create perfectly crafted environments from the ground up. With the design-forward Contour collection, you now have versatile and unique colors, patterns and shapes that allow you to test the limits of your creativity.

# Digital services

Our additional design services allow for even more creativity. Want to add a school logo to your floor? No problem. A custom corporate message? Sure. Or maybe you're looking for support in the form of professional renderings to help sell your flooring concept. No matter your need, Tarkett experts are here to help you solve your biggest flooring challenges and deliver personalized solutions you can be proud of.



## IMAGINATIONS® custom floor design

If you can imagine it, then we can translate it onto your floor. Our IMAGINATIONS personalized floor design program is used for more intricate and detailed designs. Designs are fabricated at our manufacturing facilities, shipped to the job site and inset by the flooring contractor.

Logos, corporate messaging, school mascots, government seals, unique images or any idea you imagine can become art on a horizontal plane. With our unique line of product platforms, you can use shape, color and texture to design a floor that will help create an experience and communicate a brand message. Custom cutting can also be used in practical ways, such as showing direction or dividing a space without using physical barriers.



# Tailored by Tarkett

Create profoundly unique spaces with our Tailored by Tarkett design tools, capabilities and services. Whether you're designing a new building or replacing existing flooring at your facility, you can choose to personalize our running line products or produce a never-before-seen design with our full customization tools. And if you're looking for expert guidance on how to transform your space, you can even get in touch with one of our knowledgeable designers.



## Carpet & LVT studio

Visualize Tarkett's extensive line of carpet and LVT colorways in a variety of commercial environments.





Tarkett Techtonic® delivers unequaled resistance to scratches, abrasions and scuffs.

Every flooring product has a coating, but only Tarkett has Techtonic: a groundbreaking solution that strengthens the durability of LVT, giving you better performance for the price. By mixing rugged protection with a beautiful matte finish, Techtonic keeps your floors’ surfaces looking better and lasting longer.



Resists scratches 40% better

You'll never have to choose between replacing a new floor or living with the damage.

Just one exposed nail in the foot of a chair can scratch a new floor and produce whitening. In a series of laboratory experiments utilizing a diamond-tipped Taber Scratch tool, Techtonic performed significantly better than the industry market leader—withstanding greater pressure without scratching or scratch whitening.



18% more protection against abrasions

Now you can move furniture with more freedom—and less concern.

Surface sheen is worn away by repetitive actions in high-traffic areas, such as the movement of chairs and tables. By protecting surfaces, Techtonic preserves not just their sheen, but your peace of mind.



Best-in-class scuff resistance

Spend less time cleaning black marks (and more years enjoying spotless surfaces).

Those black marks from dragging shoes and chair casters? They're scuff marks caused by friction. No product on the market fights them better than Techtonic—a solution that keeps your floors performing better, year after year.





Immaculate stain defense

Momentary mishaps shouldn't have permanent effects.

Techtonic's polyurethane coating provides an advanced level of security against stains, reducing the chances of damaged flooring (and expensive cleaning).



Techtonic outperforms the industry leader.

Applied to LVT made in Florence, Alabama, Techtonic offers performance in the top of its class. In a series of laboratory tests, Techtonic-protected LVT floors repeatedly outperformed our #1 market-leading competitor: matching their strength against scuffing and abrasion, while exceeding their resistance to scratching, slipping and dimensional stability.



Lab tests showed results—not scratches.

A diamond-tipped Taber Scratch tool was used to test the performance of Techtonic against that of the industry's leading product protection. After being subjected to equivalent Taber Scratch protocol, the competitor's sample displayed more and deeper visible scratches than Techtonic.\*



Scratch whitening is easier to see on dark surfaces than light ones. But even when we scratch-tested our darkest matte finish against the competitor's lighter wood grain pattern, Techtonic still performed better.

\*Based on Tarkett internal testing of Techtonic against multiple competitors. To ensure accuracy, experiments were conducted in more than one laboratory.



# Tarkett Solution SPECtrum™

**Design more brilliantly.**

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet and performance.

The Brilliance<sup>SM</sup> Digital Color System puts the entire TARKETT SOLUTION SPECtrum portfolio at your fingertips—no matter where you happen to be working. Within one digital tool, you can save favorite surfaces to project boards, visualize them in a space and order samples. By getting the right color match every time, the tool reduces sample waste and shipping, helping us all design more responsibly and reduce our carbon footprints.



Speak to your Tarkett sales representative to get started or scan the QR code to visit [brilliance.tarkett.com](https://brilliance.tarkett.com).

- 1. True to Form Stone LVT  
**Native Soapstone PCAV** Moonlit Charcoal 4649
- 2. Johnsonite DuraCove® wall base  
**Traditional Toe** DC-VK8 Sandstorm
- 3. Johnsonite DuraCove wall base  
**Traditional Toe** DC-VL4 Cool Metal
- 4. Carpet tile  
**Create Vision G0079** Destination 32803
- 5. Homogeneous sheet and tile  
**iQ® Optima®** 873 Koala Bear
- 6. Johnsonite rubber tile  
**Minerality** PA2 Sculpted
- 7. True to Form Stone LVT  
**Palladian PCPD** Terrace 4663
- 8. True to Form Wood LVT  
**Branched Oak PCBR** Bayview 4612
- 9. True to Form Wood LVT  
**Medley Maple PCEM** Alto 4638
- 10. Carpet tile and Powerbond® hybrid carpet  
**Create Balance 11770** Hybrid 32807







# Proof in every step<sup>SM</sup>

For years, Tarkett has raised the sustainability standards of our industry. We took the first steps and are determined to stay a step ahead.

And while inspirational words are great, we know impact is in the numbers—numbers subjected to intense third-party scrutiny. So, at Tarkett we don't just say it, **we prove it.**

These three values help us stay the course when it comes to sustainability.



## Setting new transparency standards

What you begin with affects everything that comes after it. That's why we subject our products to relentless scientific scrutiny and third-party testing and offer radical transparency about our materials and operations.



## Empowering the next step in the value chain

We make our business partners and customers more inherently sustainable with products and practices that consider every step in the value chain.



## Creating healthier futures

We base all our sustainability initiatives on our commitment to create healthier environments indoors and out, today and for generations to come.

## You can feel confident in the numbers



A holistic approach you can count on ...



... and certifications you can trust.



We're leaders in radical transparency.



Setting tomorrow's standards ...



... for globally recognized excellence.

95%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business.

100<sub>ppm</sub>

raw materials content revealed down to 100 parts per million.

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

99%

of flooring solutions have low VOC emission levels—10x lower than the most stringent world standards.

2010

first flooring manufacturer to join the UN Global Compact.

70%

of raw materials are abundant, rapidly renewable or recycled.

2013

first commercial flooring **CERTIFIED asthma and allergy friendly®.**

100%

ortho-phthalate-free vinyl production. First company to eliminate ortho-phthalates from all products.

2021

awarded the Gold medal by EcoVadis; now ranked among the top 2% of companies in our industry rated by EcoVadis.

14

zero-waste to landfill manufacturing plants.

2022

Powerbond RS is the first soft surface product in the industry to be **CERTIFIED asthma and allergy friendly®.**

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.

2022

scored A-, the CDP management level, regarding the climate change performance assessment.

At Tarkett, social and environmental responsibility aren't add-ons. They're woven, stamped and sealed into everything we do. **But more importantly, we don't just say this, we prove it.**



Key attributes



Durability

Techtonic and 32 mil wear layer deliver superior resistance with no scratch whitening



Ease of installation

RollSmart™ roll-on adhesive dries in as little as 15 minutes and allows immediate occupancy



Healthy materials

Free of ortho-phthalates and all Six Classes of harmful chemicals according to the Green Science Policy Institute




Made in USA

Designed and manufactured in Florence, Alabama; Buy American Act Compliant





Contour construction

Contour is Tarkett’s premium LVT construction, featuring top-of-the line durability and protection, as well as our broadest selection of visuals across Wood, Stone and Abstract collections.



Specifications

CONTOUR® LUXURY VINYL TILE

Style Name / Number:	True to Form Wood				
Warranty:	25 year				
Sample sizes:	6" x 6", 6" x 36"				
Tile sizes:	6" x 48"	6" x 36"	6" x 24" (NEW)	12" x 13.8" hexagon (NEW)	6.9" triangle (NEW)
Carton quantity:	18 planks per carton 36 sq. ft. per carton 36 lb. per carton 72 cartons per pallet	24 planks per carton 36 sq. ft. per carton 36 lb. per carton 60 cartons per pallet	36 planks per carton 36 sq. ft. per carton 36 lb. per carton 72 cartons per pallet	20 tiles per carton 17.3 sq. ft. per carton 17.3 lb. per carton 52 cartons per pallet	120 tiles per carton 17.32 sq. ft. per carton 17.3 lb. per carton 52 cartons per pallet
Carton weight:					
Total thickness:	0.120" (3 mm)				
Wear layer thickness:	32 mil (0.8 mm)				
Finish:	Techtonic				
Edge treatment:	Square Edge (SE)				
Emboss:	Varies by style				
Colors available:	40				
Install methods:	Glue down				
Install options:	6" x 48" Unidirectional Herringbone	6" x 36" Unidirectional Herringbone	6" x 24" Unidirectional Herringbone	12" x 13.8" hexagon Random	6.9" triangle Random
<div><div><p>UNIDIRECTIONAL</p></div><div><p>HERRINGBONE</p></div><div><p>RANDOM</p></div><div><p>Now with three new tile sizes and shapes</p></div></div>					

+TECHTONIC®

<b>Testing</b>		
Classification:	ASTM F1700	Class III, Type B performance
Flexibility:	ASTM F137	Passes
Static-Load-Limit:	ASTM F970	250 psi, ≤ 0.005"
Residual-Indentation:	ASTM F1914	Passes
Slip-Resistance:	ASTM D2047	≥ 0.5 SCOF
Dimensional Stability:	ASTM F2199	Passes
Resistance to Heat:	ASTM F1514	ΔΣ ≤ 8.0
Resistance to Light:	ASTM F1515	ΔΣ ≤ 8.0
Chemical-Resistance:	ASTM F925	Passes
Fire-Performance:	ASTM E648 CAN / ULC S102 2	Class 1 (≥ 0.45 watts/cm²) FSV 160 / SVD 420

Adhesives for LVT products

A brief comparison of adhesive products recommended for use with Tarkett LVT, in multiple installation scenarios.

<b>Adhesive</b>	<b>Moisture RH</b>
RollSmart™	95% Allows immediate occupancy
975 two-part urethane adhesive	90% For install with heavy point loads, intense direct sunlight, topical moisture, and extreme temperature variation
959HM high moisture substrate adhesive	99% New concrete 95% 2+ year-old concrete
996 two-part epoxy adhesive	90% For installations with heavy point loads, intense direct sunlight, topical moisture, and extreme temperature variation.

Sustainability attributes


<b>CONTOUR® LUXURY VINYL TILE</b>
<b>Carbon neutrality:</b> Carbon neutral available upon request
<b>Healthy materials:</b> 95% raw materials third-party assessed; ortho-phthalate-free
<b>Indoor air quality:</b> FloorScore® certified; meets CA DPH Section 01350
<b>Transparency documentation:</b> Industry-wide EPD
<b>Responsible end of use management:</b> Part of Tarkett ReStart program for take back and recycling



To join the **ReStart** program, scan the QR code or go to [commercial.tarkett.com/Restart](https://commercial.tarkett.com/Restart)

Transparency documentation

At Tarkett, transparency, social responsibility and environmental stewardship aren’t add-ons—they’re part of everything we do. By partnering with ecomedes and mindful MATERIALS, we make it easy for you to explore our sustainable flooring product options, their product certifications, green building systems and federal standards support documents. Visit [tarkett.ecomedes.com](https://tarkett.ecomedes.com) to learn more.



For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.  
©Tarkett North America 2559900015 01/2024



**Tarkett North America**

30000 Aurora Road, Solon, Ohio 44139  
800.248.2878 | [tarkett.com](https://tarkett.com)

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.